

End of Life (EOL) Notification

Bulletin Number: EOL-191108-01 Issue: 1.0

CCI OctoPort Multi-Band Antenna:

OPA-65R-LCUU-H4

Notification Date: November 08, 2019

Last Time Buy (LTB) Date*:	November 08, 2020			
Manufacture Discontinuance (MD) Date:	November 08, 2020			
End of Life (EOL) Date:	November 08, 2020			
Last Time to Repair:	November 08, 2024			
Market Regions Affected:	All			
* Some inventory of product may be available after LTB Date. Please check with your CCI Sales Representative for Details.				

Introduction

This End-of-Life notice involves Last Time to Repair, Last Time to Return, and EOL of the CCI OctoPort Multi-Band Antenna Model Number OPA-65R-LCUU-H4 as found in the table on page 2 of this document.

Reason for End of Life of this Product

The OPA-65R-LCUU-H4 is being replaced with newer design antenna model OPA65R-BU4BA (Recommended Replacement Model Number), which include all of the features of the previous model.

Definitions

End of Life Definition – This serves as formal notice that Communication Components Inc. (CCI) intent to end of life the products noted. Recovery and/or upgrades may be performed in accordance with existing service plans or upgrade agreements. For support, please contact a CCI Representative, or email to support@cciproducts.com.

Product Repairs may be performed in accordance with existing contractual agreements or customer specific service plans and upgrade agreements as negotiated prior to EOL or for up to 1 year past the purchase date.

Manufacture Discontinuance and Last Time Buy Definition – As part of Ending the Life of hardware elements this notice serves as a formal communication of CCI's intent to Manufacture Discontinuance (MD) and offer Last Time Buy (LTB) date for the product(s) noted. For the time between MD/LTB and EOL emergency recovery and/or upgrades may be performed in accordance with customer specific service plans or upgrade agreements as negotiated prior to MD/LTB.

Software Dependencies (if applicable)

Not applicable.

Contents of this notice are subject to change.

Please contact Communication Components Inc. for latest End of Life Notice information.

Phone Number: 201-342-3338

www.cciproducts.com



End of Life (EOL) Notification

Alternative/Replacement Products/Solutions

Replacement products are available as per the table below with the specified limitations. The replacement products may not be interoperable with the models being "discontinued" by this notice.

Model Number	Suggested	Specification Deltas	
	Replacement	OPA-65R-LCUU-H4	OPA65R-BU4BA
	Model	(Original Model #)	(Recommended
	Number*	(criginal in case ii)	Replacement Model #)
OPA-65R-LCUU-H4	OPA65R-BU4BA	1) OPA-65R-LCUU-H4 is	1) OPA65R-BU4BA is
		characterized over	characterized over
		698- 787 MHz,	698- 798 MHz,
		824- 894 MHz,	824- 896 MHz,
		1850-1990 MHz,	1850-1990 MHz,
		1710-1755 / 2110-2170 MHz,	1695-1880 / 1920-2180 MHz,
		& 2305-2360 MHz	& 2300-2400 MHz
		2) Four (4) External RET	2) Three (3) External RET
		Actuators → one for 700	Actuators → one for 700
		Band, one for 850 Band, one	Band, one for 850 Band and
		for High Band Left Side and	one for High Band Left
		one for High Band Right	Side/Right Side together;
		Side	model OPA65R-BU4BB-K
		4) ODA OSD I OUILLIA	provides three Type 17 RET's
		1) OPA-65R-LCUU-H4 operates	3) OPA65R-BU4BA operates with
		with a 700 Band & 850 Band	a Low Band EDT Range of 2°-
		EDT Range of 0°-10° & a High	16° & a High Band EDT Range
		Band EDT Range of 0° - 8° 3) OPA-65R–LCUU-H4 has a	of 2° - 10° 4) OPA65R-BU4BA has a gain
		gain of	of
		12.7 dBi over 698- 787 MHz,	12.1 dBi over 698- 798 MHz.
		13.3 dBi over 824-894 MHz,	12.1 dBi over 834- 896 MHz,
		15.7 dBi over 1850-1990 MHz,	16.3 dBi over 1850-1990 MHz,
		14.9 dBi over 1710-1755 MHz,	16.0 dBi over 1695-1880 MHz,
		16.4 dBi over 2110-2170 MHz	16.5 dBi over 1920-2180 MHz
		and	and
		16.8 dBi over 2305-2360 MHz.	16.4 dBi over 2300-2400 MHz.
		4) Connector type is 7/16-DIN	5) Connector type is 4.3-10
		,	,
		5) Size: 48.3 " x 14.4 " x 7.3 "	6) Size: 48.0" x 11.7" x 10.1"
		6) Weight (w/o Mounting	7) Weight (w/o Mounting Bracket
		Bracket or RET's): 45.3 Lbs.	or RET Actuators): 43.0 Lbs.
		7) Total RET Weight 6.6 Lbs.	8) Total RET Weight 5.0 Lbs.
		8) Separate 700 & 850	9) Separate 700 & 850

^{*} CCI suggests all users verify equivalency for use. Specifications are available from www.cciproducts.com

EOL Revision History

Document Number	Revision Number	Revision Date	Description of Change	
EOL-191108-01	01	November 8, 2019	Initial Release	

Related Product and Sales & Marketing Bulletins (if applicable)

Not applicable.

Customer Actions

Not required, new hardware kits will be introduced as old model stocks are depleted.

Content is <u>not</u> intended to supersede existing customer contractual commitments.

Contents of this notice are subject to change.

Please contact Communication Components Inc. for latest End of Life Notice information.

Phone Number: 201-342-3338 www.cciproducts.com